

OCD Mechanical Info. – FOR INTERNAL USE ONLY

Designer Who Last Modified File:	Candace Rechsteiner	SPC Number in OTIS:	SPC54499	11-25-15 CR used 601-80-004-1 to create 601-80-099-1 with revs per marked up PDF for Crimson PH2. Made ± and ° Univers font, were Symbol font. 11-30-15 KT signed.
Date File Was Last Modified:	11-25-16	Dimension on SPC:	2" x .875"	
2nd Designer review: (layout and requested changes only)	11-30-15 KT	Line Screen:	30% PMS 185 using 85 line screen	
PMS Colors Used in File:	Black PMS 185			

601-80-099-1

Red Cells Vial Label




[Handwritten signature]
12th Oct 2017

Ortho Clinical Diagnostics
Pencoed, UK

OCD Mechanical Info. – FOR INTERNAL USE ONLY

Designer Who Last Modified File:	Candace Rechsteiner	SPC Number in OTIS:	SPC54500	11-25-15 CR used 601-80-005-1 to create 601-80-087-1 with revs per marked up PDF for Crimson PH2. Made ± and ° Univers font, were Symbol font. 11-30-15 KT signed.
Date File Was Last Modified:	11-25-15	Dimension on SPC:	2" x .875"	
2nd Designer review: (layout and requested changes only)	11-30-15 KT	Line Screen:	30% PMS 185 using 85 line screen	
PMS Colors Used in File:	Black			

601-80-087-1
Red Cells Vial Label



12th Oct 2017
[Signature]
Ortho Clinical Diagnostics
Pencoe, UK

Designer Who Last Modified File:	Kim DePaola		SFC Number in OTIS:	SFC54479
Date File Was Last Modified:	12-03-15		Dimension on SFC:	2 7/8" x 1 15/16" x 3 3/8"
2nd Designer review: (layout and requested changes only)	12-03-15 CR		Line Screen:	Name
PMS Colors Used in File:	 Black PMS 185		Non Varnish	

PMS Colors Used in File:

- Black
- PMS 185
- Non Varnish

Ortho Clinical Diagnostics

Affirmagen®
3.5 + 0.5%

2x3 mL
A 1 x 3 mL
B 1 x 3 mL

Manufactured for:
Ortho-Clinical Diagnostics
Parsippany, NJ
C360-SPC
United Kingdom
Made in France

Affirmagen®
3.5 ± 0.5%

For use with Ortho BioVue® System to confirm the ABO forward (red cell group) / À utiliser avec Ortho BioVue® System pour confirmer l'écoulement globulaire du groupe sanguin ABO / Zur Durchführung der Serumaggenproben im Ortho BioVue® System, para realizar el grupo ABO sérico / Da utilizarsi con l'Ortho BioVue® System per confermare il gruppo (eritrociti) ABO diretto / Para utilizar o Ortho BioVue® System à confirmer le groupe ABO direct / Trä användelse med Ortho BioVue® System för att bekräfta ABO blodgruppens diagnoser / Till användning med Ortho BioVue® System för att bekräfta ABO blodgruppsdiagnoser // Dis stosowania w systemie Ortho BioVue w celu potwierdzenia określonej grupy krwi (kropli ABO na błonie komórkowej erytrocytów) / Stal brukas sistēmas ar Ortho BioVue-sistēmām, lai būtu noteikta asins grupas ABO / Ortuo BioVue Sistēmā c prasmo nospietnosiem izrūnā m apstād ABO no spāsmoju vērtosy (spārmopotām)

REF 707930

701800121
© Ortho Clinical Diagnostics 2010

CE 0123

701800121

701800121

Ortho Clinical Diagnostics
Pencoed, UK