

# HCV Treatment in Primary Care Settings

Averhoff, Francisco (CDC/OID/NCHHSTP) <[fma0@cdc.gov](mailto:fma0@cdc.gov)>

Fri 8/11/2017 8:38 PM

To: David Sergeenko <[dsergeenko@moh.gov.ge](mailto:dsergeenko@moh.gov.ge)>; Gregg Alton <[Gregg.Alton@gilead.com](mailto:Gregg.Alton@gilead.com)>;

 1 attachment

Kattakuzhy Task shifting to treat HCVAIME201709050-M170118.pdf;

Dear Davit and Gregg,

The attached recently published manuscript nicely demonstrates the type of intervention that could be implemented in Georgia, to increase access to care and treatment in primary care settings. The added benefit of simplified testing can be included when a pangenotypic regimen, like SOF/VEL, is included as part of the package. This type of intervention will keep Georgia at the forefront of HCV elimination; of course we all agree that this be introduced as part of the HCV elimination program, with a strong evaluation component, and not as a research study. Let me know your thoughts.

Best, FA

*Francisco Averhoff MD, MPH  
CAPT US Public Health Service  
Associate Director for Global Health  
Division of Viral Hepatitis  
National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention  
Centers for Disease Control and Prevention  
1600 Clifton Road, MS G-37  
Atlanta, GA 30333  
phone: 404-718-8501  
fax: 404-718-8588  
e-mail: [fma0@cdc.gov](mailto:fma0@cdc.gov)*