AMENDMENT OF SOLICITATION	ON/MODI	FICATION OF O	CONTRACT	TRACT 1. CONTRACT ID CODE PAGE OF PAGES 1 OF				
2. AMENDMENT/MODIFICATION NO. A-003	and the second s	(12/2017		N/PUR R6308	CHASE REQ. NO. 3946	5. PROJECT NO. (If applicable)		
6. ISSUED BY	CODE	19RS50	7. ADMINIST	TERED	BY (If other than Item 6)			
GSO Contracting U.S. Embassy in Moscow Bolshoy Deviatinsky Pereulok No. 8 Moscow 121099, Russian Federation			CODE					
8. NAME AND ADDRESS OF CONTRACT	OR (NO., stre	eet,city,county,State,a	nd ZIP Code)		9a. AMENDMENT	OF SOLICITATION NO.		
				x	SRS500-17-R-0008			
				A	9b. DATED (SEE I	TEM 11) 8/24/2017		
					10a. MODIFICATION OF CONTRACT/ORDER			
				1000	10b. DATED (SEE	ITEM 13) .		
11.	THIS ITEM	ONLY APPLIES TO	O AMENDMENTS	OF SO	LICITATIONS	and an extension		
OFFERS PRIOR TO THE HOUR AND amendment you desire to change an offer a or letter makes reference to the solicitation 12. ACCOUNTING AND APPROPRIATION 13. THIS ITEM APPLIES ONLY TO MODITEM 14.	already submanded and this am	itted, such change rendment, and is reco	may be made by te	elegram opening	or letter, provided e g hour and date spec	ach telegram ified.		
A. THIS CHANGE ORDER IS ISSU CONTRACT ORDER NO. IN IT		NT TO: (Specify auth	ority) THE CHANG	ES SET	FORTH IN ITEM 14	ARE MADE IN THE		
B. THE ABOVE NUMBERED CON office, appropriation date, etc.) S	TRACT/ORD					S (such as changes in paying		
C. THIS SUPPLEMENTAL AGREE						The bits self is		
D. OTHER (Specify type of modifical	tion and author	ority	ter you have		SEPARAPACAN PROPERTY	Koniveri (Innexi)		
E. IMPORTANT: Contractor [X] is not, [] is	required to si	gn this document and	return copies	to the is	ssuing office.	b. f. of peritons?		
14. DESCRIPTION OF AMENDMENT/MO This amendment is issued to amen	d the solic	Man of Toling Tol	17-R-0008 (see	e page	es 2-3).	rts Logarness vo		
15A. NAME AND TITLE OF SIGNER (Typ		caulte distince	Jason B. Has	skins	TRACTING OFFICE	OF E		
BY (Signature of person authorized to signature)	didio 3	15C.DATE SIGNED	BY		Contracting Officer	16C. DATE SIGNED  9-12-2017		
NSN 7540-01-152-8070	2.7		15.81		Standard Form 30 (re	vised 10/83)		

NSN 7540-01-152-8070 Previous edition unusable Standard Form 30 (revised 10/83)
Prescribed by GSA FAR (48 CFR) 53.243

## Solicitation SRS500-17-R-0008 is hereby amended as follows:

- 1. Section B.3.4.2 *Master Bathroom Construction Work, Item 1*: add the following sentence after the first sentence in the paragraph: "Prep the floor prior to installation. Replace subfloor finish layer if damaged during ceramic tile removing. Finished layer shall be inspected by the COR prior to tile installation."
- 2. Section B.3.4.2 *Master Bathroom Construction Work, Item 9*: add the following sentence at the end of the paragraph: "Measure length, purchase suitable diameter and length flex connection; install including replacement furnished stop valve."
- 3. Section B.3.4.4 Smaller Upstairs Bathroom Construction Work, Item 1: add the following sentence after the first sentence in the paragraph: "Prep the floor prior to installation. Replace subfloor finish layer if damaged during ceramic tile removing. Finished layer shall be inspected by the COR prior to tile installation."
- 4. Section B.3.4.4 *Smaller Upstairs Bathroom Construction Work, Item 3*: replace the original paragpraph in its entirety with the following: "Purchase and install a shower drain (See Attachment #5, Specifications, pos #10 or equal) including cast iron s-trap equal to PAM global art.#156420".
- 5. Section B.3.4.4 *Smaller Upstairs Bathroom Construction Work, Item 6*: change the language in parentheses to say: "See Attachment #5, Specifications, pos #25, 26 or equal".
- 6. Section B.3.4.4 *Smaller Upstairs Bathroom Construction Work, Item 10*: add the following sentence at the end of the paragraph: "Measure length, purchase suitable diameter and length flex connection; install including replacement furnished stop valve".
- 7. Section B.3.4.6 *Downstairs Bathroom Construction Work, Item 1*: add the following sentence after the first sentence in the paragraph: "Prep the floor prior to installation. Replace subfloor finish layer if damaged during ceramic tile removing. Finished layer shall be inspected by the COR prior to tile installation".
- 8. Section B.3.4.6 *Downstairs Bathroom Construction Work, Item 7*: add the following sentence at the end of the paragraph: "Measure length, purchase suitable diameter and length flex connection; install including replacement furnished stop valve."
- 9. Section B.3.4.8 *Kitchen Construction and Repair Works, Item 6*: add the following sentence at the end of the paragraph: "Replace existing stop valves with the Embassy furnished ½"- 3/8" comp valves. Purchase and install on the cold water supply side a ¾" ball valve suitable for European appliance with ¾" female threaded connector".
- 10. Section B.3.4.8 *Kitchen Construction and Repair Works, Item 10*: add the following sentence at the end of the paragraph: "Measure length, purchase suitable diameter and length flex connection; install including replacement furnished stop valve".

## 11. Attachment 5 Specifications: add the following line items 31, 32, 33 to the table:

31	Tub Enclosure (sliding glass doors)	Sterling	Sterling 5935- 56S-G06.	Ea.	GFM
32	Shower Enclosure (stahl + tray)	Sterling	Sterling 72040100-0 3 Piece Shower Module;	Ea.	GFM
33	Shower Enclosure glass door set	Sterling	Sterling Intrigue SP2276A-38S	Ea.	GFM